VPython reference sheet

1. Creating a program file:

- (a) Bring up IDLE for Python by double-clicking on the snake icon. You will get an empty edit window.
- (b) Enter the following two lines of code at the beginning of your program.

```
from visual import *
from __future__ import division
```

(*Note: this should be typed* "underscore underscore future underscore underscore". This is a total of four underscores; two before "future" and two after "future." *There are no spaces between the underscores and "future*". This is an important line of code; it instructs Python to consider a fraction like 1/2 to be a floating point number 0.5, instead of taking the integer part of the result, which would be zero in this case. In future versions of Python this will be the default behavior, but it isn't yet, so we need to invoke it.)

(c) From the file menu choose Save As. Save on your hard drive, making sure to add ".py" to the end of your filename.

2. Creating objects in VPython:

sphere:

```
A sphere has attributes pos, radius, and color. The pos attribute specifies the location of the center of the sphere. sphere(pos=vector(3, 5, -11), radius=0.15, color=color.magenta)
```

arrow:

The basic attributes of an arrow are pos, axis, and color. The pos attribute specifies the location of the tail of the arrow. The axis attribute specifies a vector that points from the tail to the tip of the arrow.

arrow(pos=vector(-2, -4, 5.5), axis=vector(-31.5, 25, -3.7), color=color.yellow)

3. Scalar constants or variables in VPython:

At the beginning of a program, you can create named constants. For example,

```
g = 9.8
G = 6.7e-11
oofpez = 9e9  ##One Over Four Pi Epsilon Zero
qproton = 1.6e-19 ## charge on a proton
s = 1e-8  ## a constant distance
```

In the rest of the program you can use these names in equations, just as you would on paper.

4. Vector variables in VPython:

```
Creating a vector:
velocity = vector(0, -1.8e4, 0)
```

Components of a vector may be referred to by adding ".x", ".y", or ".z" to the name of a vector: velocity.x is the x-component of the vector "velocity" defined above baseball.pos.z is the z-component of the position vector of a sphere named "baseball"

5. Common mathematical expressions

To square a variable or number in VPython, you type **2; a^2 would be a**2; and $(r_r)^2$ would be r.x**2

To take a square root of a number or an expression, use sqrt(); $\sqrt{3}$ would be written sqrt(3).

 π is a constant named "pi", which is already defined by VPython.

Sines and cosines are sin() and cos(), for example sin(pi/2). Trig functions use radians, not degrees!

To add a quantity to a variable, type: myvariable = myvariable + 3

This means: get the current value of myvariable, add 3 to it, and replace the previous value of myvariable with the result.

5. Simple loops in VPython:

```
deltat = 0.5
t = 0
while t < 10:  ## statements to be done inside loop are indented
    t = t + deltat
    print t
print t
print 'End of loop'</pre>
```

In this code, the variable t is given the initial value of zero before the loop begins. The while statement instructs VPython to execute the indented statements over and over, until the value of t becomes equal to or greater than 10. At that point, the indented lines will no longer be executed.